



Township No. VI North, Range No. V West 2nd Mer.

Surveyed by Arthur Henric

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35 & 36	Thin Rolling land - Timber Oak & Hickory	27 & 28	Land Wet	19 & 20	Land very Brushy
25 & 26	ditto	22 & 27	ditto	17 & 20	ditto
24 & 25	ditto	21 & 22	ditto	17 & 18	Thin Soil & thin Timber
23 & 24	ditto	15 & 22	Land very brushy - Timber Oak, Hickory, Ash &c.	8 & 17	ditto
13 & 24	ditto	15 & 16	ditto	7 & 8	Land flat - Timber Oak, Maple, Hickory & Spruce
13 & 14	ditto	10 & 15	ditto	5 & 8	Thin Soil & very thin Timber
13 & 13	ditto	9 & 10	Thin Rolling land		
11 & 12	ditto	3 & 10	ditto		
34 & 35	Land Rolling - Very brushy	22 & 33	Land Wet - Timber Oak, Ash, Oak &c.		
26 & 35	Land flat - Timber Maple, Oak & Hickory	28 & 33	ditto		
26 & 27	Land Rolling - Timber Oak & Hickory	28 & 29	Land Rolling - Timber Oak & Hickory		
23 & 26	ditto	21 & 28	Land Rolling & Hick.		
22 & 23	ditto	20 & 21	ditto		
14 & 23	ditto	21 & 16	ditto		
14 & 15	ditto	16 & 17	ditto		
11 & 14	ditto	8 & 9	Land level - Ash, Birch, Oak & Hickory		
10 & 11	ditto	4 & 9	ditto		
2 & 11	ditto	31 & 32	Rolling & brushy		
34 & 35	Land Rolling - Timber - Poplar, Oak & Hickory	29 & 32	ditto		
27 & 34	ditto	29 & 30	ditto		
		20 & 29	ditto		



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

C. L. South Boundary, Var.

Met On Random on S. side of sec. 36
 31.00 To a Brook 5th wide en. N,
 40.00 Set a tempy. gr. sec. cor. post.
 80.00 Set a tempy. post cor. sec. 35 & 36
 Land level & the timber is Oak & Hickory

Met On Random on S. side of sec. 35,
 40.00 Set a tempy. gr. sec. cor. post.,
 80.00 Set a tempy. post cor. sec. 34 & 35
 Land &c. is same as on last mile

Met On the S. side of sec. 34. on Random,
 40.00 Set a tempy. gr. sec. cor. post.
 79.00 To a spring cor. south
 80.00 Set a post, temporary, cor. sec. 33 & 34
 Land &c. is same as on last mile

Met On Rand^{om} on S. side of sec. 33,
 40.00 Set a tempy. gr. sec. cor. post.,
 80.00 Set a tempy. post for cor. sec. 32 & 33
 Land &c. is same as on last mile

Met On Rand^{om} on S. side of sec. 32
 26.00 To a Brook 9th wide en. N.W.,
 40.00 Set a tempy. gr. sec. cor. post.,
 76.75 To a Brook 50th wide en. N.
 80.00 Set a post for tempy. cor. sec. 31 & 32
 Land flat, & the timb. is Oak & Elm.

Met On Rand^{om} on S. side of sec. 31
 21.80 To a Brook 50th wide en. S. W.
 26.50 " the same " " " N. W.,
 40.00 Set a tempy. gr. sec. cor. post.,
 49.50 To the S. bend of the same,
 88.58 To the W. boundy. N. of cor. of Town,

T. & A. R. 5 W. 2nd Mer. Ind.^a

In L. Land rolling & Oak & Hickory timber

East On the S. side of sec. 31. Var. S. E.

48.58 Set the gr. sec. cor. post from which
a B. Oak 12 in. dia. bears S 58 W 5 th. dist,
& a Sugar 12 " " " S 2 W 4 1/2 " "

88.58 Set a post cor. sec. 31 & 32 from which
a B. Oak 30 in. dia. bears S 9 W 32 th. dist,
& a Do. 30 " " " N 21 E 72 " "

East On the S. side of sec. 32,

40.00 Set a post for gr. sec. cor. from which
an ash 10 in. dia. bears N 45 W 15 th. dist
& a W. Oak 7 " " " East 43 " "

80.00 Set a post cor. to sec. 32 & 33 from wh,
a Dogwood 8 in. dia. bears S 39 E 16 th. dist,
& a W. Oak 20 " " " S 37 W 17 " "

East On the S. side of sec. 33,

40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 80 W 24 th.,
& a Do. 18 " " " S 82 W 29 "

80.00 Set a post cor. to sec. 33 & 34 from wh,
a W. Oak 12 in. dia. bears S 40 E 26 th. dist
& a Do. 15 " " " N 6 E 43 " "

East On the S. side of sec. 34

40.00 Set the gr. sec. cor. post from which
a Poplar 8 in. dia. bears N 80 E 8 th. dist,
& a Do. 8 " " " S 1 W 9 " "

80.00 Set a post cor. to sec. 34 & 35 from wh,
a Hickory 10 in. dia. bears S 63 E 40 th.,
& a W. Oak 20 " " " S 70 W 50 "

East On the S. side of sec. 35

40.00 Set the gr. sec. cor. post from which

T. & A. R. 5 W. 2nd Mer. Ind.^a

Co. L. a Hickory 10 in. dia. bears N 5 W 11 th. dist,
& a Poplar 10 " " " S 74 W 15 " "

80.00 Set a post cor. to sec. 35 & 36 from wh,
a W. Oak 10 in. dia. bears S 4 E 32 th. dist,
& a Hickory 12 " " " S 38 W 40 " "

East On the S. side of sec. 36,

40.00 Set the gr. sec. cor. post from which
a B. Oak 10 in. dia. bears N 6 E 30 th. dist,
80.00 To the Town corner, surveyed in 1811 -
By A. Leamy, D. S. -

West Boundary.

(Var. 67 1/2 E.)

North On the E. side of sec. 36 T. & A. R. 6 W.
9.40 To a spring cor. East

40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears S 2 W 28 th. dist,
& a Dogwood 6 in. dia. & north 25 " "

40.40 To a Brook 15 th. wide cor. N. W.

47.82 & the same same cor. N. E.

52.00 " " Do. " " West

80.00 Set a post cor. to sec. 25 & 36

a Sugar 8 in. dia. bears S 30 E 7 th. dist,
& a Do. 7 " " " N 85 W 23 " "

Land rolling -

North On the E. side of sec. 35 T. & A. R. 6 W

21.00 To a spring cor. S. W.

40.00 Set the gr. sec. cor. post from which
a Boxelder 10 in. dia. bears S 7 W 14 th.,
& a Gum 9 " " " N 59 W 16 " dist

59.00 To the W. fork of White river at post,
an Elm 12 in. dia. bears S 24 W 20 th. dist

65.88 Over river I set post on N. side from which
an Elm 20 in. dia. bears S 42 E 19 th. dist,
& a Do. 10 " " " N 58 W 23 " "

80.00 Set a post cor. to sec. 24 & 25 from wh.
an Elm - in dia. bears S 58 E 18 ths. dist.
& a No. 10 " " " N 20 W 18 " "
Land rich & the timber is Elm Ash
Walnut Hickory &c

North On the E. side of sec. 24, T. 6 N. R. 6 W.
40.00 Set the gr. sec. cor. post from which
an Elm 10 in dia. bears S 36 E 49 ths. dist.
& a W. Oak 20 " " " N 19 W 37 " "
75.00 Entered a prairie
80.00 Set a post cor. to sec. 13 & 24,
in prairie no bearings,

North On the E. side of section 13, T. 6 N. R. 6 W.
40.00 Set the gr. sec. cor. post, no bearings
45.00 To timbered land
80.00 Set a post cor. to sec. 12 & 13, from wh.
a B. Oak 20 in dia. bears S 9 W 33 ths. dist.
& a No. 18 " " " S 84 E 25 " "
Thin soil & the timber is Oak & Hickory

North On the E. side of sec. 12, T. 6 N. R. 6 W.
40.00 Set the gr. sec. cor. post from which
a B. Oak 20 in dia. bears N 12 E 26 ths.
& a W. Oak 18 " " " West 36 "
46.00 To a Pond 31 chs. wide cor. S. W
80.00 Set a post cor. to sec. 1 & 12 from which
a Beech 12 in dia. bears N 20 W 222 ths.
Land is same as on last mile,

North On the E. side of sec. 1, T. 6 N. R. 6 W.
40.00 Set the gr. sec. cor. post from which
a Hickory 6 in dia. bears N 12 E 21 ths. dist.
& a W. Oak 8 " " " N 23 E 20 " "
45.00 To a W. Oak 10 " " in the line,

80.00 Set post cor. T. 6 N. R. 6 W. 4 & 5 W -
This & the S. boundary surveyed by
1811 Arthur Hennie Sep. Sur.

North Boundary.

Var.
Post On Rand. on S. side sec. 36 T. 7 N. R. 5 W.
20.00 To a Creek 75 ths. wide cor. South
25.00 " " No. " " " " N.
35.00 " " No. " " " " S W
40.00 Set a tempy. gr. sec. cor. post
80.00 Set a tempy. cor. post to sec. 35 & 36
Bottom land. sugar, Beech Elm timber.

Post On Rand. on S. side of sec. 35 T. 7 N. R. 5 W
15.00 To a Creek cor. NW
24.00 " " No. " " S W,
27.00 " " Pond 6 chs. wide circular
33.00 " " Creek 150 ths. wide cor. S W
40.00 Set a tempy. gr. sec. cor. post
65.00 To a Creek 200 ths. wide cor. N.
80.00 Set a post for tempy. cor. sec. 34 & 35
Land wet overflowed bottom & the
timber is Elm Maple Beech &c.

Post On Rand. on S. side of sec. 34 T. 7 N. R. 5 W
11.50 To a Creek 200 ths. wide cor. S. (April 1811)
15.25 To the E. side of White river 6.50 ths. wide S.
40.00 Set a tempy. gr. sec. cor. post,
60.00 The river is close on left,
80.00 Set a post tempy. cor. sec. 33 & 34
April 19th 1811. - Land is rich bottom
& the timber is Elm Walnut, Buckeye

Post On the S. side of sec. 33 (Rand?) T. 7 N. R. 5 W
40.00 Set a gr. sec. cor. post on Rand. tempy.

T. 6 N. R. 5 W. 2nd Mer. Ind.

80.00 Set a post for tempy. cor. sec. 32 & 33,
Good bottom land & the timber is
Sugar Elm, Walnut &c on 1st mile.
Prairie & Oak land on last 1/2 mile the
prairie is chiefly on S. side of the line.

Next On Rand^m On S. side of sec. 32 T. 6 N. R. 5 W.
25.00 Leave the prairie

40.00 Set a tempy gr. sec. cor. post.

60.00 To the E. side of a large prairie N. W. 1/4 E.
This prairie is at least 1/2 mile wide

80.00 Set tempy. post in prairie cor. sec. 31 & 32
Land good part prairie & part Oak land

Next On Rand^m On S. side of sec. 31 T. 6 N. R. 5 W.
30.00 Leave the prairie

40.00 Set tempy gr. sec. cor. post

80.00 Set a post for tempy. cor. Township,

81.25 To W. boundary 28.50 M. S. of Township,
Town corner & set a post at intersection
cor. Towns 6 & 7 N. R. 5 W. from wh.
a B. Oak 12 in dia. bears South 12 M. S. W.
& a Hickory 6 " " " N. W. 19 " "
Good land part prairie & part Oak.

East On S. side of sec. 31 T. 6 N. R. 5 W.

41.25 Set gr. sec. cor. post from which
a W. Oak 24 in dia. bears N 36 E 13 M.
& a W. Oak 24 " " " N 66 W 38 "

81.25 Set post cor. to sec. 31 & 32 from wh.
there are no bearings - being in prairie

East On the S. side of sec. 32 T. 6 N. R. 5 W.

40.00 Set the gr. sec. cor. post from which
a B. Oak 24 in dia. bears N 4 W 12 M. dia.
& a W. Oak 15 " " " N 68 E 53 "

T. 6 N. R. 5 W. 2nd Mer. Ind.

80.00 Set post cor. to sec. 32 & 33 from which
a Red Oak 24 in dia. bears N 72 W 33 M. dia.
& an Elm 15 " " " S 36 E 58 " "

East On the S. side of sec. 33 T. 6 N. R. 5 W.

40.00 Set a post for gr. sec. cor. post from which
a Hackberry 18 in dia. bears N 75 E 5 M. dia.
& a Honey Locust 16 " " " S 65 W 19 " "

80.00 Set a post for cor. of sec. 33 & 34 from wh.
a Hackberry 30 in dia. bears N 74 E 20 M. dia.
& a Buckeye 10 " " " N 52 W 16 " "

East On the S. side of sec. 34 T. 6 N. R. 5 W.

40.00 Set the gr. sec. cor. post from which
a W. Locust 18 in dia. bears N 10 E 61 M. dia.
& a Buckeye 14 " " " N 3 W 24 " "

80.00 Set a post cor. to sec. 34 & 35 from which
a W. Walnut - bears N 79 E 8 M. dia.
an ash 8 in dia. " " " N 30 W 15 " "

East On the S. side of sec. 35 T. 6 N. R. 5 W.

40.00 Set the gr. sec. cor. post from which
a Hackberry 12 in dia. bears N 67 E 18 M. dia.
& an ash 16 " " " S 20 W 22 " "

80.00 Set a post cor. to sec. 35 & 36 from which
a B. Oak 36 in dia. bears N 85 E 26 M. dia.
& a W. Oak 30 " " " N 79 W 22 " "

East On the S. side of sec. 36 T. 6 N. R. 5 W.

a Buck 30 in dia. bears N 70 E 36 M. dia.
& a Sugar 10 " " " S 82 W 14 " "

80.00 To the Township corner,

April 12th 1811.

Surveyed by Alex^r. Holmes. Dep. Sur.
Alexander Holmes Dep. Sur.

T. & C. R. 5 W. 2^d. Nov. Ind.

Left C. L.

East Boundary.

North On the E. side of sec. 36, T6 N5 W
 40.00 Set the gr. sur. cor. post from which
 a Walnut 16 in. dia. bears S 11 W 27th dist.
 & a Poplar 36 " " " N 14 E 28 " "
 72.00 To a Creek 15th wide en. SW,
 80.00 Set a post cor. to sec. 25 & 36 from wh.
 a Gum 30 in. dia. bears S 25 E 11th dist.
 a Sugar 18 " " " N 45 W 43 " "
 Rich level land & the timber is Walnut
 Sugar, ash &c

North On the E. side of sec. 25 T6 N5 W
 40.00 Set the gr. sur. cor. post from which
 a Dogwood 8 in. dia. bears S 45 W 8th dist.
 & a Do. 6 " " " N 82 E 23 " "
 80.00 Set a post cor. to sec. 24 & 25 from which
 a Poplar 14 in. dia. bears S 4 E 16th dist.
 & a Dogwood 4 " " " N 7 E 18 " "
 Good Oak land

North On the E. side of sec. 24 T6 N5 W
 40.00 Set the gr. sur. cor. post from which
 a Sugar 10 in. dia. bears S 6 E 16th dist.
 & a W. Oak 30 " " " N 7 W 24 " "
 43.00 To a Creek 15th wide en. W,
 73.00 " " Do. 3 " " " SW
 80.00 Set a post cor. to sec. 13 & 24 from wh.
 a W. Oak 16 in. dia. bears S 68 W 12th dist.
 & a Do. 6 " " " S 77 E 11 " "
 Land &c. is same as last

North On the E. side of sec. 13 T6 N5
 40.00 Set a gr. sur. cor. post from which
 a Hickory 12 in. dia. is corner tree

T. & C. R. 5 W. 2^d. Nov. Ind.

59.00 To a B. Oak 24 in. dia. in the line,
 70.00 To a creek 3th wide en. NW,
 80.00 Set a post cor. to sec. 12 & 13 from which
 a Dogwood 9 in. dia. bears S 22 W 21th dist.
 & a W. Oak 16 " " " N 4 E 12 " "
 Level good Oak land

North On the E. side of sec. 12, T6 N5 W
 8.00 To a Creek 5th wide en. W,
 15.00 " " Do. 3 " " " SW,
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 15 in. dia. bears N 82 E 11th dist.
 & a Do. 16 " " " S 22 W 31 " "
 50.00 To a Creek 3th wide en. W,
 80.00 Set a post cor. to sec. 1 & 12 from wh.
 a W. Oak 18 in. dia. bears S 10 W 12th dist.
 & a Do. 12 " " " N 60 E 21 " "
 Good level Oak land

North On the E. side of sec. 1, T6 N5 W,
 40.00 Set the gr. sur. cor. post from which
 a Hickory 16 in. dia. bears S 21 E 5th dist.
 & a Poplar 50 " " " N 10 W 22 " "
 74.00 To a Creek 15th wide en. W,
 95.00 To N. boundary. 9.00th E. of temporary town
 corner post, Set post cor. to S. 64th N. 16th 45 W
 a Maple 10 in. dia. bears N 92 E 12th dist.
 & an ash 10 " " " S 55 W 16 " "
 Good level land -
 Surveyed in the year 1811 -
 By Alex. Holmes, Dep. Sur.

Subdivisions,

North Between sections 35 & 36
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 20 in. dia. bears North 87th

T. C. R. 5 W. 2nd Mer. Ind.

Co. L. no other tree given,
80.00 Set the sec. post. from which —
a Sugar 20 in dia. bears N 57 E 20 th. dia.
La Do. 15 " " " S 85 E 46 " "
cov. of secs. 25, 26, 35 & 36 —
Thin rolling land & the timber is
Oak & Hickory &c.

East On Random between secs. 25 & 36
5.00 To a Brook 30 th. wide crs. NW.
6.50 " Same " " " " NW
9.50 " Do. " " " " " NW
40.00 Set gr. sec. post from which (temp.)
75.00 To a Brook 10 th. wide crs. South
80.00 Intersect E. line of secs. 18 th. N. of post.
Land broken, timber Oak Hickory &c.

West Correct the line between secs. 25 & 36
40.00 Set gr. sec. post from which
a B. Oak 10 in dia. bears N 70 E 42 th.
La Do. 15 " " " N 69 W 43 "
80.00 To the section corner,

North Between sections 25 & 26,
3.00 To a Brook 30 th. wide crs. NW,
11.50 " " Do. 10 " " " " NW
40.00 Set Dr. sec. post from which
a Bush 20 in dia. bears N 20 E 26 th.
no other
80.00 Set post cor. sec. 23, 24, 25 & 26,
a W. Oak 12 in dia. bears N 11 E 69 th. dia.
La Do. 10 " " " S 79 W 30 " "
Land rolling timber Oak & Hickory &c.

East On Random between sec. 24 & 25
40.00 Set a temporary gr. sec. post,

T. C. R. 5 W. 2nd Mer. Ind.

79.80 Intersect E. boundy. of sec. 12 th. S. of post.
Land &c. is same as on last.

West Correct the line between sec. 24 & 25
39.90 Set Dr. sec. post. from which
a Gum 10 in dia. bears N 88 E 21 th. dia.
no other,
79.80 To the section corner,

North On Between sections 23 & 24
13.55 To a Poplar 18 in dia. in line,
40.00 Set Dr. sec. post from which
a W. Oak 12 in dia. bears N 24 E 22 th. dia.
La Dogwood 6 " " " S 24 W 3 " "
55.00 To a Brook 20 th. wide crs. W,
80.00 Set post cor. sec. 23, 24, ~~25~~ 13 & 14 from wh.
a B. Oak 12 in dia. bears N 85 E 26 th. dia.
La Dogwood 7 in dia. " S 37 W 17 " "
Land &c. is same as last mile,

East On Random between sec. 14 & 23.
40.00 Set temporary gr. sec. post
79.80 Intersect E. boundy. of sec. apt post.
Land &c. same as last mile.

West Correct the line between sec. 14 & 23.
39.90 Set gr. sec. post from which
a W. Oak 15 in dia. bears N 53 W 30 th.
La Hickory 10 " " " S 71 E 11 "
79.80 To the sec. cor.

North Between sections 13 & 14
40.00 Set quarter sec. post from which
a B. Oak 18 in dia. bears N 20 W 27 th.
La B. Walnut 10 in. " " S 18 E 8 "
59.75 To a Brook 12 th. wide. crs. W,

T. C. N. R. 5 W. 2nd. New. Ind.

44.00 To a B. Oak 24 in. dia. in the line,
 80.00 Set a post cor. sec. 11. 12. 13 & 14 from wh.
 a W. Oak 15 in. dia. bears S 24 W 22 1/2 m. dist.
 Va Do. 15 " " " N 17 W 43 " "
 Land &c. is same as on last mile

East On Random between sec. 12 & 13
 44.00 Set trap, 9th sec. post,
 79.60 In front of E. boundary of sec. 30 m. S. of post
 Land &c. same as last

West Correct the line betw. sec. 12 & 13.
 39.80 Set 2nd sec. cor. post from which
 a Hickory 10 in. dia. bears N 84 E 18 1/2 m. dist.
 Va Dogwood 7 " " " S 57 E 18 " "
 79.60 To the sw. cor.

North Between sections 11 & 12
 40.00 Set 9th sec. post from which
 a B. Oak 18 in. dia. bears N 66 W 66 m. dist.
 Va Hickory 18 " " " S 10 E 12 " "
 80.00 Set post cor. sec. 11. 12. 13 from which
 a Dogwood bears S 45 W 19 m. dist. &
 a W. Oak 18 in. dia. bears N 55 E 43 m. dist.
 Land &c. same as last.

East Between sections 1 & 12.
 no notes could be found of this line.

North Between sections 1 & 2,
 30.00 To a Brook 12 m. wide cor. NW,
 40.00 Set 2nd sec. post from which
 a W. Oak 10 in. dia. bears S 99 W 10 m. dist.
 Va Dogwood 4 in. dia. " N 89 W 16 " "
 86.00 To a Brook 50 m. wide cor. W,
 101.50 " the N. boundary, 143 m. E. of post

T. C. N. R. 5 W. 2nd. New. Ind.

6. L. a Beech 10 in. dia. bears S 25 W 11 m. dist.
 Va Do. 12 " " " S 55 E 41 " "
 Cor of sec. 1 & 2. Land same,

North Between sections 34 & 35

40.00 Set 2nd sec. cor. post from which
 a B. Oak 12 in. dia. bears S 19 W 97 m. dist.
 Va - no other
 80.00 Set a post cor. sec. 36. 27. 34 & 35 from which
 a Birch 6 in. dia. bears N 32 W 10 m. dist.
 Va Do. 6 " " " N 72 W 15 " "
 Land rolling & very brushy -

East On Random between sections 36 & 35
 8.00 To a Brook 30 m. wide cor. NW,
 25.00 " Do. " " " " S. W
 36.50 " Do. " " " " NW
 40.00 Set trap, 9th post,
 41.00 To same brook 30 m. wide cor. S. W,
 77.00 " Do. do. " " " " NW
 78.50 " Do. Do. " " " " S. W
 80.00 Set post cor. sec. 1. E. boundary, 10 m. S. of post
 Land flat & the timber is Maple Oak Hickory

West Correct the line between sec. 26 & 35
 40.00 Set 2nd sec. post from which a
 Sycamore 10 in. dia. bears N 41 W 14 m. dist.
 Va Dogwood 6 " " " N 88 E 8 " "
 80.00 To the sw. corner,

North Between sections 36 & 27

3.50 To a Brook 30 m. wide cor. W
 16.50 To a W. Oak 18 in. dia. in the line,
 40.00 Set 2nd sec. post from which
 a Dogwood 9 in. dia. bears N 86 E 8 m.
 Va Hickory 10 " " " N 6 W 14 "

T. 6 N. R. 5 W. 2nd. New Ind.^a

67.90 To a W. Oak 12 in dia. in the line,
 79.00 " " Brook 8 lks. wide cr. W,
 80.00 Set post cor. Sec. 23, 23.26 & 27 from which
 a B. Oak 8 in dia. bears S 27 E 10 lks. dist &
 a W. Oak 28 " " " N 36 W 31 " "
 Land rolling & the timber Oak & Hickory

East On Random between sections 23 & 26
 4.00 To a Brook 8 lks. wide cr. S. W,
 40.00 Set (temp.) gr. sec. post
 79.92 To the E. bound. of sec. 20 lks. S. of post,
 Land same as last,

West Correct the line of sec. between 23 & 26
 39.96 Set 2nd sec. post from which
 a W. Oak 20 in dia. bears S 75 E 12 lks. dist,
 & a Do. 18 " " " N 44 W 6 " "
 79.92 To the sec. corner,

North Between sections 22 & 23,
 37.00 To a Brook 7 lks. wide cr. W,
 40.00 Set the 2nd sec. post from which
 a W. Oak 18 in dia. bears S 12 W 24 lks. dist,
 & a Do. 20 " " " S 65 E 21 " "
 80.00 Set a post cor. Sec. 14, 15, 22 & 23 from which
 a W. Oak 12 in dia. bears S 61 E 18 lks. dist,
 & a Sugar 12 " " " S 34 W 12 " "
 Land same as last,

East On Random between sections 14 & 23
 30.00 To a Brook 25 lks. wide cr. NW,
 31.50 " Do. " " " " S. W,
 40.00 Set temporary gr. sec. post
 50.00 To a Brook 18 lks. wide cr. N,
 59.50 " the same " " " " S. W,
 80.00 To the E. line of sec. 10 lks. S. of post

T. 6 N. R. 5 W. 2nd. New Ind.^a

E. L. Land same as last

West Correct the line between sec. 14 & 23
 40.00 Set 2nd sec. post, from which
 a Hickory 7 in dia. bears S 83 W 29 lks. dist
 & an Elm 9 " " " N 51 E 10 " "
 80.00 To the section corner,

North Between sections 14 & 15
 6.36 To a Brook 18 lks. wide cr. S. W
 34.50 " " W. Oak 18 in dia. in the line,
 40.00 Set the gr. sec. post from which
 a W. Oak 18 in dia. bears S 14 W 15 lks. dist,
 & a Do. 10 " " " S 40 E 15 " "
 80.00 Set post cor. sections 10, 11, 14 & 15 from which
 a W. Oak 20 in dia. bears S 19 E 28 lks. dist,
 & a W. Oak 12 " " " S 84 E 31 " "
 Land same as on last mile,

East On Random between sec. 11 & 14
 40.00 Set temporary 2nd sec. post
 80.00 To the E. line of sec. 18 lks. S. of post.
 Land &c. is same as last

West Correct the line between sec. 11 & 14
 40.00 Set gr. sec. post, from which
 a Gum 10 in dia. bears N 86 E 49 lks. dist,
 & a Dogwood 7 in dia. " S 63 W 11 " "
 80.00 To the section corner,

North Between sections 10 & 11
 37.36 To a Brook 18 lks. wide cr. S. W
 34.50 " " W. Oak 18 in dia. in the line,
 40.00 Set 2nd sec. post from which
 a W. Oak 20 in dia. bears S 44 W 22 lks.
 & a B. Oak 18 " " " S 85 E 19 " dist

T. 6. N. R. 5 W. 2nd. New. Ind. a

80.00 Set post cor. sec. 2, 3, 10 & 11 from which
a B. Oak 32 in dia, bears N19 E 36 lbs. dist,
& a Gum 8 " " " N32 W 24 " "
Land same as on last mile,

East On Random between sections 27 & 11

40.00 Set temporary post, cor.

80.00 To the E. line of sec. 12 lbs. N. of post
Land & same as on last

West Correct the line between sec. 27 & 11

40.00 Set 27 sec. post from which

a W. Oak 10 in dia, bears N63 W 6 lbs. dist,

& a Hickory 10 " " " S70 E 23 " "

80.00 To section corner,

North Between sections 27 & 3

40.00 Set gr. sec. post from which

an Elm 10 in dia, bears N13 W 20 lbs. dist,

& a Maple 40 " " " N59 W 41 " "

102.50 To an Homewood 4 in dia, cor. tree on the
N. boundary, 40 lbs. E. of cor. which Homewood
is cor. of sec. 2 & 3 - Good farming
land, Lumb. Oak, Hickory, Ash &c.

North Between sections 33 & 34

40.00 Set gr. sec. post from which

a W. Oak 12 in dia, bears N70 W 16 lbs. dist,

& a Do. 9 " " " S73 W 26 " "

80.00 Set post cor. sec. 27, 28, 33 & 34 from which

a Poplar 24 in dia, bears N50 W 19 lbs. dist

& a Do. 24 " " " S39 E 21 " "

Land rolling & the timber is Poplar
Oak & Hickory, &c.

East On Random between sections 27 & 34

T. 6. N. R. 5 W. 2nd. New. Ind. a

40.00 Set temporary post for 27 sec, cor.

79.80 To the E. line of sec. 1 at post
Land same as on last mile,

West Correct the line between sec. 27 & 34

39.90 Set gr. sec. post from which

a Poplar 10 in dia, bears N88 E 08 lbs.

& a W. Oak 24 " " " N48 W 15 " dist,

79.80 To the section corner,

North Between sections 27 & 28.

21.75 To a Brook 10 lbs. wide cor. E.

24.00 " " Spring cor. East,

40.00 Set gr. sec. cor. post from which

a W. Oak 12 in dia, bears N70 E 37 lbs. dist,

& a Do. 15 " " " N60 E 28 " "

80.00 Set post cor. sec. 21, 22, 27 & 28 from wh.

a Gum 12 in dia, bears N80 E 37 lbs. dist,

& a Do. 10 " " " S6 E 8 " "

Land same, but wet

East On Random between sec. 22 & 27

11.50 To a Brook 30 lbs. wide cor. E.

40.00 Set temporary gr. post

80.00 To the E. line of sec. 8 lbs. S. of post

Land same as on last mile

West Correct the line between sec. 22 & 27

40.00 Set the gr. sec. post from which

a W. Oak 18 in dia, bears S64 E 30 lbs. dist

& a Dogwood 7 " " " N64 W 2 " "

80.00 To the section corner,

North Between sections 21 & 22

40.00 Set gr. sec. post from which

a W. Oak 19 in dia, bears N22 E 25 lbs.

T. & C. R. 5 W. 2nd. New, Ind.

66.00 La Gum 10 in dia, bears NW 30 lbs.
 66.00 To a Brook 20 lbs. wide cr. W.
 80.00 Set a post cor. sec. 15.16.21 & 22 from which
 a Sugar 20 in dia, bears S 80 W 36 lbs. dist,
 & an Ironwood 7 " " S 74 W 22 " "
 Land &c. is same as on last mile,

East On Random between sec. 15 & 22
 1.50 To a Brook 40 lbs. wide cr. NW,
 40.00 Set temporary g. sec. post,
 70.00 To a Brook 30 lbs. wide cr. SW,
 80.05 To the E. line of sec. 43 lbs. N. of post
 Land very brushy & thick. Oak Hickory Ash,

West Correct the line between sec. 15 & 22
 40.02 Set g. sec. post from which
 an Elm 10 in dia, bears N 65 W 12 lbs. dist
 & a Do. 10 " " " S 19 E 18 " "
 80.05 To sec. corner,

North Between sections 15 & 16
 2.00 To a Brook 40 lbs. wide cr. W,
 11.00 " " Do. 10 " " " S. W.
 35.00 " " Spring cr. S. E.
 40.00 Set g. sec. post from which
 a W. oak 12 in dia, bears S 38 E 6 lbs. dist
 & a Do. 12 " " " N 62 W 35 " "
 80.00 Set a post cor. to sec. 9, 10, 15 & 16 from which
 a Logwood 7 in dia bears S 88 W 48 lbs. dist,
 & a W. oak 18 " " " N 32 W 12 " "
 Land &c. is same as last mile

East On Random between sec. 10 & 15
 40.00 Set temporary g. post -
 80.12 To the E. line of sec. 12 lbs. S. of post
 Land &c. is same as last mile.

T. & C. R. 5 W. 2nd. New, Ind.

West Correct the line between sec. 10 & 15
 40.00 Set g. sec. post from which
 a Logwood 7 in dia, bears S 84 W 28 lbs. dist,
 & a Do. 7 " " " S 18 E 5 " "
 80.12 To the sec. corner,

North Between sections 9 & 10
 20.00 To a Brook 10 lbs. wide cr. W,
 40.00 Set g. sec. post from which
 a Sugar 12 in dia, bears N 12 W 10 lbs. dist,
 & a Do. 10 " " " S 40 E 20 " "
 69.00 To a Poplar 30 in dia, in line
 80.00 Set a post cor. sec. 3, 4, 9 & 10 from which
 a Hickory 10 in dia, bears S 89 E 14 lbs. dist,
 & a Red Oak 10 " " " N 84 W 23 " "
 Rich rolling land -

East On Random between sections 3 & 10
 40.00 Set temp. g. post,
 80.00 To the E. line of sec. 12 lbs. S. of post
 Land same as on last mile

West Correct the line between sec. 3 & 10
 40.00 Set g. sec. post from which
 a Sugar 10 in dia, bears N 66 E 26 lbs. dist
 & a Do. 10 " " " East 3 " "
 80.00 To section corner,

North Between sections 3 & 4
 8.50 To White river & set post on bank from wh.
 a Hackberry 10 in dia, bears N 76 E 9 lbs. dist
 & a Sycamore 20 " " " S 6 W 12 " "
 15.50 Over river & set post on S. W. side from wh.
 a Buck 40 in dia, bears N 38 W 14 lbs. dist
 & a Do. 20 " " " N 48 E 12 " "
 40.00 Set g. sec. post. (no bearings.)

T. C. N. R. 5 W. 2nd. New, Ind.

North Between Sections 10 & 17

- 10.50 To a Brook 50 lbs. wide cr. S. W
 13.00 To E. head of same brook
 30.00 " a Locust 20 in. dia. in the line
 40.00 Set the gr. sec. post from which
 a Hickory 8 in. dia. bears S 35° W 10 lbs.
 & a Walnut 10 " " " N 52° W 17 "
 80.00 Set post cov. sec. 8, 9, 16 & 17 from which
 a Hickory 10 in. dia. bears S 6° W 43 lbs.
 & a Do. 10 " " " N 83° E 38 "
 Land &c is same as on last mile

East - On Random between Sec. 9 & 16
 40.00 Set temp. gr. sec. post,
 71.25 To a Brook 5 lbs. wide cr. N,
 80.00 To the E. line of sec. at post,

West Correct the line between Sec. 9 & 16
 40.00 Set gr. sec. post from which
 a B. Oak 24 in. dia. bears S 59° W 27 lbs.
 & a Oak 12 " " " N 45° W 9 "
 80.00 To the sections corner,

North Between sections 8 & 9

- 40.00 Set gr. sec. post on W. River from wh
 a Sycamore 30 in. dia. bears S 13° E 60 lbs.
 & a Do. 12 " " " S 87° W 45.
 50.88 Over river & set post on N. W. side
 a Hickory 12 in. dia. bears S 40° W 11 lbs. dia.
 & an Elm 15 " " " N 12° E 20 "
 80.00 Set a post cov. to sec. 4, 5, 8 & 9 from which
 a B. Oak 24 in. dia. bears S 62° E 79 lbs. dia.
 & a W. Oak 20 " " " N 71° W 8 "
 Land level & the timber is Oak, Beech
 Oak & Hickory

comp?

T. C. N. R. 5 W. 2nd. New, Ind.

- ch. 1/2. ^{try line}
 East On Random between sec. 4 & 9
 40.00 Set temp. gr. post,
 51.50 To a pond 56 lbs. wide cr. N & S,
 70.08 To River & set post on N. W. side from which
 a Walnut 12 in. dia. bears S 65° E 11 lbs. dia.
 a Hickory 9 " " " South 85 " "
 76.29 Over river & set post on S. E. side from which
 a Oak 10 in. dia. bears S 44° W 2 lbs. dia.
 an Elm 10 " " " N 87° E 7 " "
 80.00 To section corner,
 Land same as on last mile,

North Between sections 4 & 5,

- 24.00 To a Brook 15 lbs. wide cr. S. E,
 40.00 Set the gr. sec. cov. post from which
 a B. Oak 20 in. dia. bears S 63° W 17 lbs. dia.
 & a Do. 20 " " " S 66° E 27 " "
 84.50 To a wet prairie 5 lbs. wide
 103.00 To the N. boundary at post,
 Land rolling & the timber is Oak & Hickory

North Between sections 31 & 32

- 2.50 To a Brook 40 lbs. wide cr. N W
 40.00 Set the gr. sec. post from which
 a W. Oak 12 in. dia. bears N 43° E 24 lbs.
 & a Do. 12 " " " S 36° E 11 "
 42.75 To a B. Oak 20 " " in the line,
 80.00 Set a post cov. to sec. 29, 30, 31 & 32,
 a W. Oak 12 in. dia. bears S 78° W 5 lbs. dia.
 & a Do. 10 " " " N 42° W 35 "
 Land rolling & brushy,

East Between Sec. 29 & 32. On Rand.

- 40.00 Set a temp. gr. sec. post
 80.00 To the E. bound. of sec. 45 lbs. N. of post
 Land &c. is same as on last mile

T. 6. N. R. 5 W. 2nd Mer. Ind.

C. L.

West Correct the line between sec. 29 & 32
40.00 Set gr. sec. post, no bearings
80.00 To the sections corner,

North Between sections 29 & 30,

40.00 Set the gr. sec. post from which
a Poplar 10 in. dia. bears N 81 W 21 in.
4 a W. Oak 12 " " " N 59 E 18 "
53.20 To a Do, 20 " " in the line,
72.00 " " Brook 10 ft. wide cor. W,
80.00 Set a post cor. sec. 19, 20, 29 & 30 from which
a Gum 12 in. dia. bears N 65 E 22 in. dist.
4 a Birch 10 " " " S 13 W 10 " "
Land is the same as on last mile

East On Random between sec. 20 & 29

40.00 Set temp. gr. sec. post
80.00 To the E. line of sec. 9 Mn. S. of post
Land is the same as last mile

West Correct the line between sec. 20 & 29

40.00 Set gr. sec. post from which
a W. Oak 18 in. dia. bears N 71 E 22 in.
4 a Do. 18 " " " S 85 W 43 "
80.00 To the sections corner,

North Between sections 19 & 20

7.00 To a Brook 10 ft. wide cor. W,
40.00 Set gr. sec. post, no bearings,
70.00 To bank of White River set post from which
a B. Oak 7 in. dia. bears S 78 W 8 in. dist. &
a Hackberry 7 " " " S 10 E 36 " "
80.00 Set a post cor. sec. 17, 18, 19 & 20
a Cottonwood 20 in. dia. bears N 28 W 22 in.
4 a Maple 10 " " " S 85 E 23 "

T. 6. N. R. 5 W. 2nd Mer. Ind.

C. L. Land very brushy. & this post is
on the bank of White river on N.W. side

East On Random between sec. 17 & 20

7.66 To S.E. side of River
40.00 Set temp. gr. sec. post,
42.00 To a spring cor. N.
80.08 To the E. line of sec. at post
Land is same as on last mile,

West Correct the line between sec. 17 & 20

40.04 Set gr. sec. post from which
a W. Oak 10 in. diam. bears N 37 E 36 in. dist. &
an Elm 9 " " " S 62 E 37 "
72.42 Set post on the River Bank from which
an Elm 8 in. diam. bears S 78 W 14 in. dist. &
a Spruce 7 " " " S 83 E 18 "
80.08 To the Section Corner.

North Between sec. 17 & 18

40.00 Set the gr. sec. post from which
a W. Oak 20 in. diam. bears S 27 W 1.96 dist.
80.00 Set post cor. to sec. 7, 8, 17 & 18 from which
a Hackberry 10 in. diam. bears S 78 W 36 in. dist. &
a Boy Elder 8 " " " N 18 W 27 "
Thinly timbered land and thin soil.

East Between sec. 8 & 17

17.50 Set post on the N.W. bank of River from which
a Hackberry 8 in. diam. bears S 73 W 37 in. dist. &
a Maple 7 " " " N 64 E 43 "

West Between sec. 8 & 17

40.00 Set the gr. sec. post from which
an Ironwood 6 in. diam. bears S 8 W 16 in. dist. &
a Do 8 " " " S 9 E 13 " "

T. 6 N. R. 5 W. 2nd Mer. Ind.

51.00 Set a post on S.E. side of River from wh,
a W. Oak 18 in. dia. bears S62°W 28th,
+ a Buck 24 " " " N29°E 12 " " "

North Between sections 7 & 8,

40.00 Set g. sec. post. from which
a B. Oak 20 in. dia. bears S28°E 33th,
+ a W. Oak 18 " " " N18°W 49 "

80.00 Set a post cor. to sec. 5, 6, 7 & 8 from wh,
a Hickory 12 in. dia. bears N56°E 21th dist
+ a Do. 10 " " " " S85°E 21 " "
Land flat & the timber is Oak Maple
Hickory & Gum &c.

East On Random between sec. 5 & 8,

40.00 Set trans. g. sec. post

80.00 To the E. line of sec. 18th N. of post
Land thin soil & thinly timbered

West Correct the line between sec. 5 & 8,

40.00 Set the g. sec. post from which
no timber for bearings.

80.00 To the sec. cor.

North Between sections 5 & 6,

40.00 Set g. sec. post from which
a Hickory 12 in. dia. bears S29°E 43th,
+ a B. Oak 5 " " " N69°E 34 "

69.00 Enter a prairie

104.00 To the N. boundary, at post,
Land level & thinly timbered in places

West Between sections 6 & 7

50.00 Enter a prairie

40.00 Set g. sec. post, no bearings

55.00 Enter timbered land

T. 6 N. R. 5 W. 2nd Mer. Ind.

85.75 To the W. boundary, 73th N. of post,
where set a post cor. to sec. 6 & 7
a B. Oak 12 in. dia. bears N74°E 23th,
Land level & the timber is Oak & Hickory

West Between sections 7 & 18,

40.00 Set g. sec. post from which
a Hickory - bears N61°W 22th dist &
+ a Do. 12 in. dia. " " S54°E 38 " "

87.00 To the W. boundary at post,
Land rolling thin soil & timber same,

West Between sections 18 & 19

40.00 Set g. sec. post from which
a B. Oak 20 in. dia. bears S40°W 43th,
+ a Do. 20 " " " N32°W 41 "

78.00 Enter a prairie

88.66 To the W. boundary 53th N. of post
Land thin soil

West Between sections 19 & 30

35.27 To a Mulberry 12 in. dia. cor. tree on river

40.00 2nd sec. cor. in White River,

43.97 Over White river set post on N. W. side
a Cottonwood 20 in. dia. bears S55°E 7th,
+ a Do. 18 in. dia. bears N45°E 21th dist,

89.16 To the W. boundary, 63th N. of post,
where set post cor. sec. 19 & 30.

a Hackberry 10 in. dia. bears S83°E 21th dist,
+ a W. Oak 20 " " " N28°W 15 " "

Land &c. is rich & level

West Between sections 30 & 31

40.00 Set g. sec. post - no bearings

89.61 To W. boundary, 62th N. of post
where set post cor. sec. 30 & 31 -

T. & A. R. 5 W. 2nd. New Ind^a

C. L. an Elm 12 in dia, bears S 68 E 28 M. int,
 & a Sugar 10 " " " S 66 E 24 " "
 Sand rolling & the timber is Oak Hickory
 Sugar &c. —
 Surveyed & subdivided in 1811.
 By Arthur Wensie Dep. Sur.

Meanders of White river,
 Begin at post in Range line on the
 S. E. side, between Ranges 5th, thence

Course to. L. up stream
 S 81 E 19.50 In sec. 30
 N 73 E 15.50 To a Brook 25 M. wide
 N 35 E 20.00 To cor. between sec. 19 & 30
 A

N 53 E 10.00 In sec. 19
 N 20 E 16.50
 N 7 W 12.50
 N 3 E 28.00
 N 43 E 8.00
 N 79 E 16.00 To cor. in ^{sec.} between sec. 19 & 20

N 67 E 5.50 In sec. 20
 N 25 E 7.00 To post between sec. 19 & 20

N 20 E 13.50 In sec. 19
 N 11 E 19.00 To a brook 20 M. wide
 N 6 W 11.50
 N 5 E 28.00
 N 50 E 19.00 To post between sec. 19 & 8

N 50 E 4.50 In sec. 8,
 N 44 E 34.50
 N 30 E 15.00
 N 40 E 6.50
 S 70 E 11.00 To post between sec. 8 & 9

T. & A. R. 5 W. 2nd. New Ind^a

Course C. L. Meanders of White River Cont.
 In sec. 9

N 52 E 9.00
 S 37 E 12.00
 S 77 E 15.00
 N 83 E 11.00
 N 60 E 15.00
 N 39 E 8.00
 N 46 E 8.50
 N 35 E 17.50
 N 9 E 16.00
 N 23 E 4.50

To post between sec. 4 & 9

N 23 E 2.00
 N 35 E 5.00

To post between sec. 3 & 4

N 40 E 5.00 In sec. 3

N 60 E 11.50
 N 44 E 45.00
 N 20 W 9.50
 N 30 W 26.00
 N 57 W 11.00
 N 30 W 8.00

N 30 E 5.50
 S 71 E 14.00
 S 22 E 23.00

S 40 E 8.50
 S 88 E 11.00
 N 50 E 6.50
 N 33 E 15.00

N 12 W 5.50 To a Brook 20.00 wide

N 12 W 9.00
 N 31 E 4.00
 N 37 E 2.50

To cor. on town line between
 Towns 6 & 7 R 5 W —

Meanders of White river, Cont.

T. 6 N. R. 5 W. 2nd Mer. Ind^a

Course	Co. Le.	Meanders of White river cont ^d Down stream, Begin at post in Town line between 687 N.W. side in sec. 3, To town line
S58	20.00	
S35W	8.00	
N64	9.00	
N26W	28.00	

		From town line from opposite side of head of River, In sec. 3, To post between sec. 3 & 4
S25W	14.50	
S46	28.00	
S27E	22.00	
S43W	45.00	
S63W	6.00	

		In sec. 4 To post between sec. 4 & 9
S63W	6.00	
S23W	24.00	

		In sec. 9 To post between sec. 8 & 9
S8W	17.50	
S41W	36.50	
S77W	11.50	
N81W	15.00	
S41W	18.00	
N76W	5.00	

		In sec. 8, To cor. between sec. 8 & 17
N76W	13.00	
S50W	13.00	
S29W	23.00	
S45W	43.00	

		In sec. 17 To cor. sec. 17, 18 & 19 & 20,
S54W	15.00	
S1W	35.00	
S17E	11.00	
S22W	27.50	

T. 6 N. R. 5 W. 2nd Mer. Ind^a

Course	Co. Le.	Meanders continued In sec. 19 To post between sec. 19 & 30
S57W	5.00	
S79W	20.00	
S34W	13.50	
South	46.00	
S36W	20.00	
S36W	15.00	In sec. 30 To post in Range line,
N87W	24.00	

Surveyed in the year 1811. By
Arthur Henry, D. Sur.